FROM THE PUBLISHERS OF PAPER TECHNOLOGY Volume 5, Number 2, 2019

PAPERmaking!

Paper Industry Technical Association

5 Preshweller Court, Bory, Lancashire 819 BUF, United Ringdom, Tel: +44 (8030) 5020 553 (a); +44 (8030) 5020 100 Presil: http://pris.org.ak.t/service.www.piis.org.uk.



New PeCOD L50 COD Analyzer

The revolutionary PeCOD L50 analyzer provides accurate chemical oxygen demand (COD) results in 15 minutes, without the use of harmful chemicals such as dichromate and mercury. PeCOD L50 is the fastest available method for quantifying COD, providing real time data that allows operators to make timely decisions and generate savings on chemical and energy use.

Highly adaptable for wastewater and drinking water applications, PeCOD L50 is extremely accurate across a broad range of organics. The powerful oxidizing potential of the core technology, UV-illuminated TiO2, ensures that virtually all species will be fully oxidized, giving a true measure of COD.

PeCOD L50 is safe and simple to use for any laboratory or operations staff at any point in the process. The patented nanotechnology will save time and money while protecting the environment and the health and safety of employees.

For further information please contact: Dave Pearce Tel: 01342 820828 Fax: 01342 820825 e-mail: david.pearce@qclscientific.com



QCL supplies rapid analytical solutions for food and dairy testing laboratories and processing plants in the UK, enabling them to achieve better precision, performance and productivity. Established for more than 25 years, QCL is the exclusive distributor of several overseas manufacturers focusing in the areas of rapid diagnostic testing.

What follows is a case study using the PeCOD analyser.

The Paper Industry Technical Association (PITA) is an independent organisation which operates for the general benefit of its members – both individual and corporate – dedicated to promoting and improving the technical and scientific knowledge of those working in the UK pulp and paper industry. Formed in 1960, it serves the Industry, both manufacturers and suppliers, by providing a forum for members to meet and network; it organises visits, conferences and training seminars that cover all aspects of papermaking science. It also publishes the prestigious journal *Paper Technology International* and the *PITA Annual Review*, both sent free to members, and a range of other technical publications which include conference proceedings and the acclaimed *Essential Guide to Aqueous Coating*.



MANTECH-INC.COM

PeCOD[®] Case Study #03

Pulp and Paper

The pulp and paper industry utilizes wood as raw material to produce pulp, paper, card board, and other cellulose based products. Pulp and paper mills produce large volumes of wastewater and residual sludge which presents a number of challenges with regards to treatment and discharge. Contaminants in pulp and paper waste streams often include effluent solids, sediments, absorbable organic halides (AOX), chlorinated organic compounds, chemical oxygen demand (COD), and biochemical oxygen demand (BOD). In many cases, the delignification and wash pulp steps require excessive volumes of bleaching chemicals which contribute significantly to the higher COD contamination typical of this wastewater.



A Chilean multi-national paper company invested in a MANTECH PeCOD[®] COD Analyzer to improve the health and safety of operators and to significantly reduce analysis time. By continuously monitoring COD levels (less than 15 minutes), the mill was able to optimize the pulp process and reduce the consumption of bleaching chemicals. The decrease in chemical consumption resulted in a lower amount of organics to treat, and in turn, reduced treatment chemicals, energy and discharge fines. **Figure 1** demonstrates the reduction in COD levels between 2013 and 2014, since implementing the PeCOD[®] COD Analyzer. The pulp and paper mill saved greater than \$10,000 (USD) per day by optimizing treatment processes, reducing energy usage and decreasing chemical usage. Savings of 3 million US dollars per year yields a return on investment of just 3 days. The PeCOD[®] COD Analyzer has provided critical information to the operators while improving health and safety to the community and the environment.





Figure 1: A graph of PeCOD[®] COD results from the pulp washing step at a pulp and paper mill. Wastewater samples were collected and analyzed over a two-year period.


OPTIMIZE YOUR RESULTS. PROTECT OUR ENVIRONMENT.



Another PeCOD project at a facility located in Quebec, Canada, focuses on improving the sustainability of the forestry industry by monitoring effluent wastewater produced by the pulp and paper industry. The traditional dichromate method has historically been used to monitor COD levels for this purpose. However, due to PeCOD's analysis speed and environmentally friendly nature, mills can optimize their processes and improve the health and safety of their staff in a safe and timely manner. Validation studies for the peCOD COD method are important for reporting purposes, as the traditional dichromate method is the industry standard for COD analysis.

The facility in Quebec is utilizing the PeCOD analyzer to test a range of effluent samples produced by an onsite mini-pilot plant, in addition to samples from established pulp and paper mills. **Figure 2** represents effluent wastewater samples measured for COD by both the peCOD and the dichromate method. A strong correlation is observed between peCOD COD and dichromate COD ($R^2 = 0.9956$). This correlation indicates that the PeCOD technology is suitable for use in the pulp and paper industry as it is a reliable predictor of the regulated dichromate method for COD.





The PeCOD analyzer uses nanotechnology encompassing titanium dioxide, a powerful oxidizer with a higher oxidizing potential than dichromate. The results shown above support this fact, as peCOD COD measured slightly higher than dichromate for each of the samples. It is important to note that sample preparation for COD measurement by both peCOD and dichromate made use of a 35uM filter to remove any solid particulates from analysis and is thus a measure of soluble COD.



Both presented cases reduced COD analysis time significantly while validating the PeCOD with the traditional dichromate method. The first pulp and paper mill reported a decrease in response time by 95% and a decrease in cost for running the COD test by 66.4%. As a result, the PeCOD[®] COD Analyzer plays an important role in the pulp and paper industry by providing valuable financial savings to the mill, promoting process optimization, and supporting environmental efforts by establishing a green COD method; all of which contribute to forestry sustainability.

Author: Katelyn Wanka, B.Sc., M.BINF., Quality Control and Research Chemist at MANTECH

OPTIMIZE YOUR RESULTS. PROTECT OUR ENVIRONMENT.